



AG~USA inc.

# Foliar Fertilizer With Added Lignosulfonate

# LIG-MOLY®

## Molybdenum 4%

### Foliar spray designed to correct deficiencies in molybdenum sensitive crops

**COMPATIBILITY:** This product is compatible with all SJB 'LIG' products. With the exception of citrus crops, do not mix with oil sprays. To ensure optimum nutrient efficacy it is important that tank water be buffered below pH 7.0. LIG-MOLY is compatible with most commonly used pesticide and nutrient sprays.

**GENERAL INFORMATION:** Molybdenum is required for nitrogen fixation in legumes, flowering in cucurbits, maize & Merlot grapes & prevention of 'whiptail' in brassica crops.

**CONDITIONS OF SALE:** The Manufacturer warrants that this nutrient product contains the active constituents as specified, and it is for the purpose of supplying the appropriate major nutrient or correcting micro-nutrient deficiency, when used in accordance with directions under normal conditions of use. No one, other than the officer of the Manufacturer, is authorised to make any warranty, guarantee or direction concerning the product as the time, place, rate of application and other conditions are beyond the control of the Manufacturer.

**APPLICATION RATES:**

**General rate:** 0.4-0.8 qt/ac (1-2 L/ha).

**Cucurbits:** 0.8 qt/ac (2 L/ha) prior to 1st flower & 0.4 qt/ac (1 L/ha) as required after that.

**Maize:** 0.4-0.8 qt/ac (1-2 L/ha) when plants are 6 inches tall.

**Soybeans/Legumes:** 0.4-0.8 qt/ac (1-2 L/ha) p

**Strawberries:** 0.4 qt/ac (1 L/ha) every 14 days during fruiting.

**Vegetables:** 0.8 qt/ac (2 L/ha) prior to head/heart formation & repeat 14 days later.

**Vines (Merlot):** 0.8 qt/ac (2 L/ha) prior to flowering.

**RECOMMENDATIONS:** This product may be used as a foliar spray or through fertigation on berries, grapevines, potatoes, cereals, pulses, turf, pasture, vegetables, fruit tree & nut crops.

**SAFETY DIRECTIONS:** Avoid contact with skin and eyes and avoid breathing in vapour or spray mist.

Guaranteed by SJB AG-USA INC., 101 2nd St. Ste. 1200, San Francisco, CA 94105.

E: info@sjbagusa.com, **Technical support:** (424) 213-3633, W: www.sjbagusa.com

| GUARANTEED ANALYSIS                     |      |
|---|------|
| Molybdenum (Mo) .....                   | 4.0% |
| Derived from sodium molybdate.          |      |
| ALSO CONTAINS NONPLANT FOOD INGREDIENTS |      |
| 10% Lignosulfonate (binding agent).     |      |

Density: 9.10 lb/gal at 68 degrees F

**WARNING:** The application of fertilizing materials containing molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals. The use of the fertilizing material on any crops other than those recommended may result in serious injury to the crop(s).

| Batch No. | Contents | 5 gal (20L) | 53 gal (200L) | 265 gal (1000L) |
|-----------|----------|-------------|---------------|-----------------|
|           |          |             |               |                 |

©2018

